

MATERIAL SAFETY 3M
 DATA SHEET 3M Center
 St. Paul, Minnesota
 55144-1000
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1997, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this
 information for the purpose of properly utilizing 3M products
 is allowed provided that:

- 1) the information is copied in full with no changes unless
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise
 distributed with the intention of earning a profit thereon.

DIVISION: VISUAL SYSTEMS DIVISION
 TRADE NAME:
 CG-6707 Laser Printer Transparency Film
 ID NUMBER/U.P.C.:
 78-6969-7883-8 00-51125-58177-6
 ISSUED: March 04, 1997
 SUPERSEDES: August 19, 1996
 DOCUMENT: 07-0254-8

1. INGREDIENT	C.A.S. NO.	PERCENT
Polyethylene Terephthalate Coated Film...	None	Unknown

2. PHYSICAL DATA

BOILING POINT:..... N/A
 VAPOR PRESSURE:..... N/A
 VAPOR DENSITY:..... N/A
 EVAPORATION RATE:..... N/A
 SOLUBILITY IN WATER:..... N/A
 SPECIFIC GRAVITY:..... N/A
 PERCENT VOLATILE:..... N/D
 pH:..... N/A
 VISCOSITY:..... N/A
 MELTING POINT:..... N/D

APPEARANCE AND ODOR:
 transparency film

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
 FLAMMABLE LIMITS - LEL:..... N/A
 FLAMMABLE LIMITS - UEL:..... N/A
 AUTOIGNITION TEMPERATURE:..... N/A

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: CG-6707 Laser Printer Transparency Film
March 04, 1997

PAGE 2

3. FIRE AND EXPLOSION HAZARD DATA (continued)

EXTINGUISHING MEDIA:
Not determined

SPECIAL FIRE FIGHTING PROCEDURES:
Not determined

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Not determined

NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:
none

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:
Information missing.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:
Not applicable.

RECOMMENDED DISPOSAL:
Incinerate large quantities in an industrial or commercial
incinerator.

ENVIRONMENTAL DATA:
Not determined.

REGULATORY INFORMATION:
Volatile Organic Compounds: N/D.
VOC Less H2O & Exempt Solvents: N/D.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: CG-6707 Laser Printer Transparency Film
March 04, 1997

PAGE 3

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

IF SWALLOWED:

No need for first aid is anticipated.

Not determined

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Not applicable.

SKIN PROTECTION:

Not applicable.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Avoid breathing of vapors.

PREVENTION OF ACCIDENTAL INGESTION:

Not applicable.

RECOMMENDED STORAGE:

Not applicable.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

 Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: CG-6707 Laser Printer Transparency Film
 March 04, 1997

PAGE 4

 7. PRECAUTIONARY INFORMATION (continued)

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
Polyethylene Terephthalate Coated Film.....	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

 8. HEALTH HAZARD DATA

EYE CONTACT:

Vapors from heated material may cause eye irritation.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

Vapors of heated material may cause respiratory system irritation.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

No adverse health effects are expected from swallowing.

 SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE August 19, 1996 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: CG-6707 Laser Printer Transparency Film
March 04, 1997

PAGE 5

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.